

BELTS

BELTS













IMPORTANT REMINDER






When using ARAMID FIBER REINFORCED (KEVLAR) BELTS be sure NOT to tension at higher force than recommended for standard conventional construction belts.

Specially designed sheaves may be required to match drive specification when using this type of belts. Higher tension may result in body injury and premature failure of bearings and other drive components.

V-BELTS

| | | | |
|---|---|--|---|
|  |  |  |  |
| Classical A(4L), B(5L), C, D, E | V-Ribbed J, K, L, M | Classical Cogged AX, BX, CX | Narrow 3V, 5V, 8V |
|  |  |  |  |
| Narrow Cogged 3VX, 5VX | Lawn & Garden | Classical Banded B, C, D | Narrow Banded 3V, 5V, 8V |
|  |  |  |  |
| Double V AA, BB, CC, DD | Variable Speed English & Metric | SP Metric SPZ, SPA, SPB, SPC | Link 3L, A, B, C, BB, CC |

SYNCHRONOUS BELTS

| | | |
|---|---|--|
|  |  |  |
| Curvilinear Synchronous 3M, 5M, 8M, 14M | Trapezoidal Synchronous MXL, XL, L, H, XH, XXH | Dual Synchronous DXL, DL, DH, D5M, D8M, D14M |

BELT TENSIONING INSTRUCTIONS

V-Belts


V-belt tensioning adjustment can be made using a tensionmeter or other type spring scale, using the following procedure. After seating the belts in the groove and adjusting center distance so as to take up slack in the belts, further increase the tension until only a slight bow on the slack side is apparent while the drive is operating under load. Stop the drive, and using the meter, measure the force necessary to depress one of the center belts $1/64$ -inch for every inch of belt span (see sketch below). For example, a deflection for a 50-inch belt span is $50/64$ ths, or $25/32$ -inch. The amount of force required to deflect the belt should compare with the deflection forces noted in the chart below. Also notice for V-belts that deflection forces vary from the initial "run-in" values which are greater (reflecting higher run-in tensioning) to the "normal" values for after the run-in period.

Synchronous Belts

High torque, Standard and Metric synchronous belts should be installed to fit pulleys snugly, neither too tight nor too loose. The belt's positive grip eliminates the need for high initial tension. When a belt is installed with a snug but not overly tight fit, longer belt life, less bearing wear and more quiet operation will result. Overtight belts can cause early failure and should be avoided. With high torque a loose belt may "jump teeth" upon startup. If such occurs, the tension should be increased gradually until satisfactory operation is achieved.

To properly tension a synchronous belt, place belt on pulleys and adjust takeup until the belt teeth mesh securely with the pulley grooves. Measure belt span "T". Then tighten belt so that it deflects $1/64$ -inch for every inch of belt span when a force as specified in the table below is applied to the top of the belt. For belts wider than two inches, a metal or wooden strip $3/4$ to 1-inch wide should be placed across the belt between it and the tester to prevent distortion.

The following range of deflection forces are normally adequate for drive installation. Actual installation tension required depends on peak loads, system rigidity, number of teeth in mesh, etc.



MEASURE THE SPAN LENGTH "T" AS SHOWN IN THE SKETCH ABOVE.

BELT TENSIONING

Standard V-Belt Tensioning Deflection Force

| Belt Cross-Section | Smaller Pulley Diameter Range (in.) | Deflection Force | |
|--------------------|-------------------------------------|------------------|---------------|
| | | Run-in (lbs.) | Normal (lbs.) |
| A | 3.0-3.6 | 3-3/8 | 2-1/4 |
| | 3.8-4.8 | 4-1/4 | 2-7/8 |
| | 5.0-7.0 | 5-1/8 | 3-3/8 |
| AX | 3.0-3.6 | 4-1/8 | 2-3/4 |
| | 3.8-4.8 | 5 | 3-1/4 |
| | 5.0-7.0 | 6 | 4 |
| B | 3.4-4.2 | 4 | 2-5/8 |
| | 4.4-5.2 | 6 | 4 |
| | 5.4-9.4 | 7-1/8 | 5-1/4 |
| BX | 3.4-4.2 | 5-1/4 | 3-1/2 |
| | 4.4-5.2 | 7-1/8 | 4-3/4 |
| | 5.4-9.4 | 9 | 6 |
| C | 7.0-9.0 | 11-1/4 | 7-1/2 |
| | 9.5-16.0 | 15-3/4 | 10-1/2 |
| CX | 7.0-9.0 | 13-1/2 | 9 |
| | 9.5-16.0 | 17-1/2 | 11-3/4 |
| D | 12.0-16.0 | 24-1/2 | 16-1/2 |
| | 18.0-22.0 | 33 | 22 |
| E | 21.6-27.0 | 48 | 32 |
| 3V | 3.40-4.20 | 6 | 4 |
| | 4.20-10.6 | 7 | 5 |
| 3VX | 2.20-3.65 | 7 | 5 |
| | 4.12-10.6 | 8 | 6 |
| 5V | 7.10-10.9 | 16 | 8-12 |
| | 11.8-16.0 | 20 | 10-15 |
| 5VX | 4.40-10.9 | 18 | 10-14 |
| | 11.8-16.0 | 22 | 12-18 |
| 8V | 12.5-17.0 | 36 | 18-27 |
| | 18.0-22.4 | 40 | 20-30 |


Synchronous Belt Tensioning Deflection Force

| Belt Pitch | Belt Width | Deflection Force |
|------------------------------|------------|------------------|
| Synchron. 8MM (14mm) | 20mm | 2 to 4 lbs |
| | 30mm | 3 to 6 lbs |
| | 50mm | 7 to 11 lbs |
| | 85mm | 11 to 19 lbs |
| Synchron. 14MM (14mm) | 40mm | 5 to 11 lbs |
| | 55mm | 8 to 17 lbs |
| | 85mm | 14 to 27 lbs |
| | 115mm | 20 to 40 lbs |
| | 170mm | 30 to 60 lbs |
| MXL (.080-in.) | 1/8-inch | 1 oz |
| | 3/16-inch | 1 - 1-1/2 oz |
| | 1/4-inch | 2 oz |
| XL (1/5-in.) | 5/16-inch | 2 - 2-1/2 oz |
| | 1/4-inch | 2-1/2 oz |
| | 5/16-inch | 3 oz |
| L (3/8-in.) | 3/8-inch | 3-1/2 oz |
| | 1/2-inch | 7 oz |
| | 3/4-inch | 11 oz |
| H (1/2-in.) | 1-inch | 1 lb |
| | 3/4-inch | 2 lbs |
| | 1-1/2-inch | 2-1/2 lbs |
| | 2-inch | 4 lbs |
| XH (7/8-in.) | 3-inch | 5-1/2 lbs |
| | 2-inch | 8-1/2 lbs |
| | 4-inch | 11-1/2 lbs |
| XXH (1-1/4-in.) | 5-inch | 16-1/2 lbs |
| | 2-inch | 7-1/2 lbs |
| | 3-inch | 11-1/2 lbs |
| | 4-inch | 20 lbs |
| XXH (1-1/4-in.) | 5-inch | 26 lbs |
| | 2-inch | 9 lbs |
| | 3-inch | 14 lbs |

V-Ribbed Belt Tensioning Deflection Force

| Belt Cross Section | Small Sheave Diameter range | Force "F" Lbs. Per Rib |
|--------------------|-----------------------------|------------------------|
| J | 1.32-1.67 | 0.4 |
| J | 1.77-2.20 | 0.5 |
| J | 2.36-2.95 | 0.6 |
| L | 2.95-3.74 | 1.7 |
| L | 3.94-4.92 | 2.1 |
| L | 5.20-6.69 | 2.5 |
| M | 7.09-8.82 | 6.4 |
| M | 9.29-11.81 | 7.7 |
| M | 12.40-15.75 | 8.8 |

V-BELT DIMENSIONS



BELTS

V-BELTS

IMPORTANT REMINDER



- 4L & 5L FHP belts can be crossed over to "A" & "B" classical V-belts. Refer to the following tables for cross references.
- Maska does not recommend the use of two (2) or more 4L or 5L belts on the same drive as their length may not match perfectly.



HOW TO ORDER

EXAMPLE: **VBB150 & VBB-LINK**

VB

B

150

VB: V-BELT

B: BELT SECTION ("B" CLASSICAL)

150: BELT NUMBER

CLASSICAL BELTS:

The belt number corresponds to the belt inside length. To determine the belt outside length for:

A-AX Sections: Up to belt number 210, add 2 to obtain outside length in inches.

B-BX Sections: Up to belt number 210, add 3 to obtain outside length in inches.

C-CX Sections: Up to belt number 210, add 4 to obtain outside length in inches.

D Section: Up to belt number 210, add 5 to obtain outside length in inches.

NARROW BELTS:

Divide the belt number by 10 to obtain the belt outside length.

LINK: LINK BELTS

Sold in standard length of 25 feet.



CLASSICAL V-BELTS

“A” SECTION

(1/2-INCH TOP WIDTH, 5/16-INCH THICK)

| Belt No. | Cross Ref. | List Price \$ | Approx. Weight (lbs) |
|----------|------------|---------------|----------------------|
| A18 | | 10.00 | .10 |
| A19 | 4L210 | 10.00 | .10 |
| A20 | 4L220 | 10.00 | .10 |
| A21 | 4L230 | 10.16 | .10 |
| A22 | 4L240 | 10.16 | .15 |
| A23 | 4L250 | 10.24 | .20 |
| A24 | 4L260 | 10.32 | .20 |
| A25 | 4L270 | 10.40 | .20 |
| A26 | 4L280 | 10.40 | .20 |
| A27 | 4L290 | 10.56 | .20 |
| A28 | 4L300 | 10.80 | .20 |
| A29 | 4L310 | 10.96 | .20 |
| A30 | 4L320 | 11.20 | .20 |
| A31 | 4L330 | 11.20 | .20 |
| A32 | 4L340 | 11.36 | .20 |
| A33 | 4L350 | 11.60 | .20 |
| A34 | 4L360 | 11.76 | .20 |
| A35 | 4L370 | 12.00 | .20 |
| A36 | 4L380 | 12.00 | .20 |
| A37 | 4L390 | 12.00 | .20 |
| A38 | 4L400 | 12.80 | .20 |
| A39 | 4L410 | 13.28 | .20 |
| A40 | 4L420 | 13.36 | .20 |
| A41 | 4L430 | 13.44 | .20 |
| A42 | 4L440 | 13.60 | .20 |
| A43 | 4L450 | 14.00 | .30 |
| A44 | 4L460 | 14.08 | .30 |
| A45 | 4L470 | 14.24 | .30 |
| A46 | 4L480 | 14.40 | .30 |
| A47 | 4L490 | 14.64 | .30 |
| A48 | 4L500 | 14.80 | .30 |
| A49 | 4L510 | 14.96 | .30 |
| A50 | 4L520 | 15.04 | .30 |
| A51 | 4L530 | 15.20 | .30 |
| A52 | 4L540 | 15.28 | .30 |
| A53 | 4L550 | 15.60 | .30 |
| A54 | 4L560 | 16.00 | .30 |
| A55 | 4L570 | 16.00 | .30 |
| A56 | 4L580 | 16.40 | .30 |
| A57 | 4L590 | 16.48 | .30 |
| A58 | 4L600 | 16.56 | .30 |
| A59 | 4L610 | 16.64 | .30 |
| A60 | 4L620 | 16.80 | .30 |
| A61 | 4L630 | 17.04 | .30 |
| A62 | 4L640 | 17.20 | .30 |

| Belt No. | Cross Ref. | List Price \$ | Approx. Weight (lbs) |
|----------|------------|---------------|----------------------|
| A63 | 4L650 | 17.60 | .30 |
| A64 | 4L660 | 17.84 | .30 |
| A65 | 4L670 | 18.00 | .30 |
| A66 | 4L680 | 18.00 | .40 |
| A67 | 4L690 | 18.24 | .40 |
| A68 | 4L700 | 18.40 | .40 |
| A69 | 4L710 | 19.20 | .40 |
| A70 | 4L720 | 19.20 | .40 |
| A71 | 4L730 | 19.28 | .40 |
| A72 | 4L740 | 19.44 | .40 |
| A73 | 4L750 | 19.60 | .40 |
| A74 | 4L760 | 19.76 | .40 |
| A75 | 4L770 | 20.00 | .40 |
| A76 | 4L780 | 20.32 | .40 |
| A77 | 4L790 | 20.48 | .40 |
| A78 | 4L800 | 20.80 | .40 |
| A79 | 4L810 | 21.20 | .40 |
| A80 | 4L820 | 21.60 | .40 |
| A81 | 4L830 | 22.00 | .40 |
| A82 | 4L840 | 22.24 | .40 |
| A83 | 4L850 | 22.56 | .40 |
| A84 | 4L860 | 22.80 | .40 |
| A85 | 4L870 | 23.20 | .40 |
| A86 | 4L880 | 23.52 | .40 |
| A87 | 4L890 | 23.84 | .40 |
| A88 | 4L900 | 24.16 | .40 |
| A89 | 4L910 | 24.24 | .40 |
| A90 | 4L920 | 24.80 | .40 |
| A91 | 4L930 | 25.12 | .50 |
| A92 | 4L940 | 25.36 | .50 |
| A93 | 4L950 | 25.60 | .50 |
| A94 | 4L960 | 25.92 | .50 |
| A95 | 4L970 | 26.16 | .50 |
| A96 | 4L980 | 26.40 | .50 |
| A97 | 4L990 | 26.72 | .50 |
| A98 | 4L1000 | 27.04 | .50 |
| A99 | 4L1010 | 27.28 | .50 |
| A100 | 4L1020 | 27.52 | .50 |
| A101 | | 27.76 | .50 |
| A102 | | 28.00 | .50 |
| A103 | | 28.28 | .50 |
| A104 | | 28.56 | .50 |
| A105 | | 28.80 | .50 |
| A106 | | 29.60 | .55 |
| A107 | | 30.00 | .60 |
| A108 | | 30.40 | .60 |
| (A109) | | 30.80 | .65 |

| Belt No. | Cross Ref. | List Price \$ | Approx. Weight (lbs) |
|----------|------------|---------------|----------------------|
| A110 | | 31.20 | .70 |
| (A111) | | 31.60 | .75 |
| A112 | | 32.00 | .80 |
| (A113) | | 32.32 | .80 |
| A114 | | 32.64 | .80 |
| A115 | | 32.96 | .80 |
| A116 | | 33.28 | .80 |
| A118 | | 33.92 | .80 |
| (A119) | | 34.16 | .80 |
| A120 | | 34.40 | .80 |
| A124 | | 35.60 | .80 |
| (A125) | | 35.90 | .80 |
| A128 | | 36.80 | .80 |
| A130 | | 37.36 | .80 |
| (A132) | | 37.88 | .80 |
| (A133) | | 38.14 | .80 |
| A134 | | 38.40 | .80 |
| (A135) | | 38.62 | .90 |
| A136 | | 38.88 | .90 |
| (A137) | | 39.16 | .90 |
| (A140) | | 40.00 | .95 |
| A144 | | 41.12 | 1.00 |
| (A148) | | 42.30 | 1.02 |
| (A152) | | 43.46 | 1.05 |
| A156 | | 44.62 | 1.10 |
| (A157) | | 44.90 | 1.10 |
| A158 | | 45.20 | 1.10 |
| (A160) | | 45.60 | 1.10 |
| (A162) | | 46.00 | 1.10 |
| (A167) | | 46.90 | 1.13 |
| A173 | | 48.00 | 1.15 |
| A180 | | 49.20 | 1.15 |
| (A187) | | 50.00 | 1.22 |
| (A196) | | 51.00 | 1.31 |
| (A197) | | 53.00 | 1.31 |
| (A210) | | 53.80 | 1.32 |
| A221 | | 59.46 | 1.40 |
| (A256) | | 68.88 | 1.60 |
| (A258) | | 69.42 | 1.60 |

() = Not in stock. Contact Maska for price and delivery.

BELTS

“B” SECTION

(21/32-INCH TOP WIDTH, 13/32-INCH THICK)

| Belt No. | Cross Ref. | List Price \$ | Approx. Weight (lbs) |
|----------|------------|---------------|----------------------|
| (B20) | | 14.00 | .40 |
| (B21) | | 14.00 | .40 |
| B22 | 5L250 | 14.00 | .40 |
| B23 | 5L260 | 14.00 | .40 |
| B24 | 5L270 | 14.40 | .40 |
| B25 | 5L280 | 14.80 | .40 |
| B26 | 5L290 | 15.04 | .40 |
| B27 | 5L300 | 15.12 | .40 |
| B28 | 5L310 | 15.20 | .40 |
| B29 | 5L320 | 15.36 | .40 |
| B30 | 5L330 | 15.44 | .40 |
| B31 | 5L340 | 15.60 | .40 |
| B32 | 5L350 | 15.68 | .40 |
| B33 | 5L360 | 15.92 | .40 |
| B34 | 5L370 | 15.92 | .40 |
| B35 | 5L380 | 16.00 | .40 |
| B36 | 5L390 | 16.40 | .40 |
| B37 | 5L400 | 17.20 | .40 |
| B38 | 5L410 | 17.60 | .40 |
| B39 | 5L420 | 18.16 | .40 |
| B40 | 5L430 | 18.32 | .40 |
| B41 | 5L440 | 18.40 | .40 |
| B42 | 5L450 | 19.20 | .40 |
| B43 | 5L460 | 19.44 | .40 |
| B44 | 5L470 | 19.44 | .40 |
| B45 | 5L480 | 20.00 | .40 |
| B46 | 5L490 | 20.80 | .50 |
| B47 | 5L500 | 20.92 | .50 |
| B48 | 5L510 | 21.60 | .50 |
| B49 | 5L520 | 21.76 | .50 |
| B50 | 5L530 | 22.00 | .50 |
| B51 | 5L540 | 22.40 | .50 |
| B52 | 5L550 | 22.48 | .50 |
| B53 | 5L560 | 22.80 | .50 |
| B54 | 5L570 | 23.04 | .50 |
| B55 | 5L580 | 23.20 | .60 |
| B56 | 5L590 | 23.36 | .60 |
| B57 | 5L600 | 23.44 | .60 |
| B58 | 5L610 | 23.52 | .60 |
| B59 | 5L620 | 23.92 | .60 |
| B60 | 5L630 | 24.00 | .60 |
| B61 | 5L640 | 24.40 | .70 |
| B62 | 5L650 | 24.80 | .70 |
| B63 | 5L660 | 24.96 | .70 |
| B64 | 5L670 | 25.12 | .70 |

| Belt No. | Cross Ref. | List Price \$ | Approx. Weight (lbs) |
|----------|------------|---------------|----------------------|
| B65 | 5L680 | 25.28 | .70 |
| B66 | 5L690 | 25.92 | .70 |
| B67 | 5L700 | 26.16 | .70 |
| B68 | 5L710 | 26.40 | .70 |
| B69 | 5L720 | 27.52 | .70 |
| B70 | 5L730 | 28.00 | .70 |
| B71 | 5L740 | 28.16 | .70 |
| B72 | 5L750 | 28.40 | .70 |
| B73 | 5L760 | 28.56 | .70 |
| B74 | 5L770 | 28.72 | .70 |
| B75 | 5L780 | 28.80 | .70 |
| B76 | 5L790 | 29.44 | .70 |
| B77 | 5L800 | 29.92 | .80 |
| B78 | 5L810 | 30.00 | .80 |
| B79 | 5L820 | 30.48 | .80 |
| B80 | 5L830 | 30.96 | .80 |
| B81 | 5L840 | 31.20 | .80 |
| B82 | 5L850 | 31.60 | .80 |
| B83 | 5L860 | 32.24 | .80 |
| B84 | 5L870 | 32.40 | .80 |
| B85 | 5L880 | 32.80 | .80 |
| B86 | 5L890 | 33.12 | .80 |
| B87 | 5L900 | 33.44 | .80 |
| B88 | 5L910 | 33.76 | .80 |
| B89 | 5L920 | 34.08 | .80 |
| B90 | 5L930 | 34.40 | .90 |
| B91 | 5L940 | 34.72 | .90 |
| B92 | 5L950 | 35.04 | .90 |
| B93 | 5L960 | 35.36 | .90 |
| B94 | 5L970 | 35.76 | .90 |
| B95 | 5L980 | 36.08 | .90 |
| B96 | 5L990 | 36.40 | .90 |
| B97 | 5L1000 | 37.60 | .90 |
| B98 | 5L1010 | 37.84 | .90 |
| B99 | 5L1020 | 38.32 | 1.00 |
| B100 | | 38.32 | 1.00 |
| B101 | | 38.56 | 1.00 |
| B102 | | 38.80 | 1.00 |
| B103 | | 38.96 | 1.00 |
| B104 | | 39.20 | 1.00 |
| B105 | | 40.00 | 1.00 |
| B106 | | 40.80 | 1.00 |
| B107 | | 41.20 | 1.00 |
| B108 | | 41.36 | 1.00 |
| B109 | | 41.84 | 1.10 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| B110 | 42.32 | 1.10 |
| B111 | 42.76 | 1.10 |
| B112 | 43.20 | 1.10 |
| B113 | 43.60 | 1.20 |
| B114 | 44.00 | 1.20 |
| B115 | 44.16 | 1.20 |
| B116 | 44.40 | 1.20 |
| (B117) | 44.72 | 1.20 |
| B118 | 45.04 | 1.20 |
| B119 | 45.32 | 1.20 |
| B120 | 45.60 | 1.20 |
| B122 | 46.40 | 1.20 |
| B124 | 47.20 | 1.20 |
| B125 | 47.60 | 1.20 |
| B126 | 48.00 | 1.20 |
| B127 | 48.40 | 1.20 |
| B128 | 48.80 | 1.30 |
| B130 | 49.28 | 1.30 |
| B131 | 49.52 | 1.30 |
| B132 | 49.76 | 1.30 |
| B133 | 50.00 | 1.30 |
| B134 | 50.16 | 1.30 |
| B135 | 50.40 | 1.30 |
| B136 | 51.20 | 1.30 |
| B138 | 52.20 | 1.30 |
| B140 | 53.20 | 1.40 |
| B141 | 53.70 | 1.40 |
| (B142) | 54.20 | 1.40 |
| (B143) | 54.70 | 1.40 |
| B144 | 55.20 | 1.40 |
| B146 | 56.00 | 1.40 |
| B147 | 56.40 | 1.40 |
| B148 | 56.80 | 1.40 |
| (B149) | 57.04 | 1.50 |
| B150 | 57.28 | 1.50 |
| B151 | 57.64 | 1.50 |
| B152 | 58.00 | 1.50 |
| B153 | 58.32 | 1.50 |
| B154 | 58.64 | 1.50 |
| (B155) | 59.00 | 1.50 |
| B156 | 59.34 | 1.50 |
| B157 | 59.68 | 1.50 |
| B158 | 60.00 | 1.50 |
| B160 | 60.80 | 1.50 |
| (B161) | 61.20 | 1.50 |

() = Not in stock. Contact Maska for price and delivery.

“B” SECTION

(2 1/32-INCH TOP WIDTH, 1 3/32-INCH THICK)

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| B162 | 61.60 | 1.50 |
| B163 | 62.00 | 1.50 |
| (B164) | 62.50 | 1.50 |
| B165 | 63.00 | 1.50 |
| (B166) | 63.34 | 1.50 |
| B168 | 63.98 | 1.50 |
| (B169) | 64.30 | 1.50 |
| (B170) | 64.62 | 1.50 |
| B173 | 65.60 | 1.50 |
| B175 | 66.56 | 1.50 |
| B177 | 67.46 | 1.50 |
| B178 | 67.90 | 1.50 |
| B180 | 68.80 | 1.50 |
| B182 | 69.56 | 1.50 |
| B184 | 70.32 | 1.50 |
| (B185) | 70.70 | 1.90 |
| B187 | 71.44 | 1.90 |
| (B188) | 71.80 | 1.90 |
| B190 | 72.54 | 1.90 |
| B192 | 73.28 | 2.00 |
| B193 | 73.66 | 2.00 |
| B195 | 74.40 | 2.00 |
| (B197) | 75.14 | 2.00 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| B199 | 75.88 | 2.00 |
| B201 | 76.64 | 2.00 |
| B204 | 77.76 | 2.00 |
| (B205) | 78.14 | 2.00 |
| B210 | 80.00 | 2.00 |
| B212 | 80.36 | 2.25 |
| (B215) | 80.90 | 2.25 |
| (B216) | 81.08 | 2.25 |
| B217 | 81.28 | 2.25 |
| (B218) | 81.46 | 2.25 |
| B221 | 82.00 | 2.25 |
| B223 | 84.48 | 2.25 |
| B224 | 84.80 | 2.30 |
| B225 | 85.20 | 2.30 |
| (B228) | 86.16 | 2.30 |
| (B229) | 86.56 | 2.30 |
| (B230) | 86.90 | 2.30 |
| (B234) | 88.30 | 2.30 |
| (B235) | 88.66 | 2.30 |
| (B236) | 89.00 | 2.30 |
| (B237) | 89.36 | 2.30 |
| (B239) | 90.06 | 2.30 |
| B240 | 90.40 | 2.30 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| B248 | 94.40 | 2.30 |
| B253 | 96.72 | 2.30 |
| (B255) | 97.60 | 2.30 |
| (B259) | 98.88 | 2.30 |
| (B265) | 100.80 | 2.30 |
| B270 | 102.40 | 2.30 |
| (B276) | 104.00 | 2.70 |
| (B279) | 104.80 | 2.70 |
| (B285) | 106.40 | 2.70 |
| (B290) | 109.40 | 2.70 |
| (B292) | 110.58 | 2.70 |
| (B293) | 110.96 | 2.70 |
| (B300) | 113.60 | 2.70 |
| (B315) | 119.20 | 2.90 |
| B330 | 124.80 | 2.90 |
| (B333) | 126.00 | 2.90 |
| B345 | 130.80 | 3.00 |
| (B355) | 150.30 | 3.10 |
| B360 | 160.00 | 3.20 |
| (B394) | 175.10 | 3.50 |
| (B433) | 192.40 | 3.90 |
| (B472) | 209.80 | 4.20 |

() = Not in stock. Contact Maska for price and delivery.



“C” SECTION

(7/8-INCH TOP WIDTH, 1 7/32-INCH THICK)

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| (C34) | 30.40 | .80 |
| (C43) | 30.40 | .80 |
| (C48) | 33.60 | .80 |
| C51 | 36.80 | .90 |
| C52 | 37.60 | .90 |
| C53 | 38.40 | .90 |
| C54 | 39.40 | 1.00 |
| C55 | 40.40 | 1.00 |
| C60 | 43.20 | 1.10 |
| C61 | 43.90 | 1.10 |
| C62 | 44.60 | 1.10 |
| C63 | 45.30 | 1.10 |
| (C65) | 46.70 | 1.10 |
| C66 | 47.40 | 1.10 |
| C68 | 48.80 | 1.10 |
| C70 | 50.80 | 1.20 |
| C72 | 51.52 | 1.20 |
| C73 | 52.22 | 1.20 |
| C75 | 53.60 | 1.20 |
| C78 | 56.00 | 1.20 |
| C80 | 57.60 | 1.20 |
| C81 | 58.40 | 1.30 |
| C82 | 58.80 | 1.30 |
| C83 | 59.20 | 1.30 |
| C85 | 60.00 | 1.40 |
| C86 | 60.96 | 1.40 |
| C88 | 62.90 | 1.40 |
| C90 | 64.80 | 1.40 |
| C92 | 66.10 | 1.40 |
| C93 | 66.80 | 1.40 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| C94 | 67.50 | 1.40 |
| C96 | 68.80 | 1.50 |
| C97 | 69.20 | 1.80 |
| C98 | 70.00 | 1.80 |
| C99 | 70.00 | 1.80 |
| C100 | 70.40 | 1.90 |
| C102 | 71.20 | 1.90 |
| (C104) | 73.86 | 1.90 |
| C105 | 75.20 | 1.90 |
| (C106) | 75.92 | 1.90 |
| (C107) | 76.20 | 1.90 |
| (C108) | 76.50 | 1.90 |
| C109 | 76.80 | 1.90 |
| C110 | 78.80 | 1.90 |
| (C111) | 79.40 | 1.95 |
| C112 | 80.00 | 2.00 |
| (C114) | 81.06 | 2.00 |
| C115 | 81.60 | 2.00 |
| C116 | 82.08 | 2.00 |
| C118 | 82.24 | 2.00 |
| C120 | 85.60 | 2.10 |
| C122 | 87.00 | 2.20 |
| C124 | 88.40 | 2.20 |
| (C126) | 89.80 | 2.30 |
| C128 | 91.20 | 2.30 |
| C130 | 92.64 | 2.40 |
| C134 | 95.44 | 2.40 |
| C136 | 96.80 | 2.40 |
| (C138) | 98.20 | 2.40 |
| (C139) | 98.90 | 2.40 |
| (C140) | 99.60 | 2.40 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| (C141) | 100.30 | 2.40 |
| (C142) | 101.00 | 2.40 |
| (C143) | 101.70 | 2.40 |
| C144 | 102.40 | 2.40 |
| (C146) | 103.52 | 2.60 |
| C148 | 104.64 | 2.60 |
| C150 | 106.40 | 2.60 |
| C151 | 107.00 | 2.60 |
| (C153) | 108.00 | 2.60 |
| C154 | 110.00 | 2.70 |
| C158 | 112.00 | 2.70 |
| C162 | 114.40 | 2.70 |
| C166 | 117.20 | 2.70 |
| C168 | 118.72 | 2.70 |
| (C169) | 119.60 | 2.80 |
| C173 | 122.40 | 3.00 |
| (C175) | 124.00 | 3.10 |
| (C176) | 124.80 | 3.20 |
| C180 | 128.00 | 3.20 |
| (C185) | 131.60 | 3.20 |
| (C188) | 133.80 | 3.20 |
| C190 | 135.20 | 3.20 |
| (C194) | 137.76 | 3.30 |
| C195 | 138.40 | 3.40 |
| (C202) | 143.60 | 3.60 |
| C204 | 145.12 | 3.60 |
| (C207) | 148.12 | 3.65 |
| C208 | 148.12 | 3.65 |
| C210 | 149.60 | 3.70 |
| (C214) | 152.00 | 3.80 |
| (C217) | 153.88 | 3.90 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| (C218) | 154.50 | 3.90 |
| (C220) | 155.80 | 4.10 |
| C225 | 158.80 | 4.40 |
| C228 | 160.64 | 4.40 |
| (C235) | 165.00 | 4.80 |
| (C238) | 166.80 | 4.80 |
| C240 | 168.00 | 4.80 |
| (C245) | 170.80 | 5.00 |
| C248 | 172.40 | 5.00 |
| (C255) | 180.80 | 5.00 |
| C270 | 189.60 | 5.40 |
| C276 | 193.44 | 5.40 |
| (C285) | 199.20 | 5.60 |
| C297 | 208.16 | 5.60 |
| C300 | 210.40 | 5.60 |
| (C303) | 212.72 | 5.60 |
| (C314) | 220.00 | 5.60 |
| (C315) | 222.00 | 5.60 |
| C330 | 231.20 | 5.70 |
| C345 | 242.80 | 6.60 |
| C360 | 252.00 | 7.00 |
| (C390) | 273.60 | 7.40 |
| (C420) | 294.40 | 7.80 |

() = Not in stock. Contact Maska for price and delivery.

CLASSICAL COGGED V-BELTS



DID YOU KNOW THAT...

- OIL AND HEAT-RESISTANT. STATIC DISSIPATING. RMA multiple V-belts in a raw edge, cogged construction are especially useful for compact drives and high ratios.

“AX” SECTION

(1/2-INCH TOP WIDTH, 5/16-INCH THICK)

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| (AX22) | 20.80 | .17 |
| AX23 | 20.80 | .17 |
| AX24 | 20.80 | .17 |
| (AX25) | 20.80 | .18 |
| AX26 | 20.80 | .18 |
| (AX27) | 20.80 | .19 |
| AX28 | 20.80 | .19 |
| AX29 | 20.80 | .20 |
| AX30 | 22.08 | .20 |
| AX31 | 22.40 | .21 |
| AX32 | 22.80 | .21 |
| AX33 | 23.20 | .22 |
| AX34 | 23.68 | .23 |
| AX35 | 24.00 | .24 |
| AX36 | 24.48 | .24 |
| AX37 | 25.12 | .25 |
| AX38 | 25.60 | .26 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| AX39 | 26.08 | .26 |
| AX40 | 26.56 | .26 |
| AX41 | 27.04 | .27 |
| AX42 | 27.52 | .28 |
| AX43 | 28.00 | .29 |
| AX44 | 28.40 | .30 |
| (AX45) | 28.60 | .31 |
| AX46 | 28.80 | .31 |
| (AX47) | 29.12 | .32 |
| AX48 | 29.44 | .32 |
| (AX49) | 29.76 | .33 |
| AX50 | 30.08 | .33 |
| AX51 | 30.40 | .34 |
| (AX52) | 30.72 | .35 |
| AX53 | 31.04 | .35 |
| AX54 | 31.52 | .36 |
| AX55 | 31.84 | .36 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| AX56 | 32.16 | .37 |
| (AX58) | 32.88 | .40 |
| (AX59) | 33.24 | .40 |
| AX60 | 33.60 | .40 |
| AX61 | 34.00 | .41 |
| AX62 | 34.40 | .41 |
| AX63 | 34.80 | .42 |
| AX64 | 35.20 | .42 |
| (AX65) | 35.60 | .43 |
| AX66 | 36.00 | .43 |
| AX67 | 36.40 | .44 |
| AX68 | 36.80 | .45 |
| (AX69) | 38.28 | .46 |
| AX70 | 38.40 | .46 |
| AX71 | 38.72 | .47 |
| (AX72) | 39.04 | .47 |
| AX75 | 40.00 | .49 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| (AX76) | 40.64 | .50 |
| (AX77) | 41.28 | .50 |
| AX78 | 41.92 | .51 |
| AX80 | 43.20 | .52 |
| (AX84) | 45.76 | .55 |
| AX85 | 46.40 | .55 |
| AX86 | 47.04 | .56 |
| AX90 | 49.60 | .59 |
| AX96 | 52.80 | .62 |
| (AX99) | 54.40 | .64 |
| AX100 | 54.94 | .65 |
| AX105 | 57.60 | .68 |
| (AX108) | 60.28 | .70 |
| AX110 | 62.08 | .71 |
| AX112 | 64.00 | .73 |
| AX120 | 68.80 | .74 |
| AX128 | 73.60 | .78 |
| AX136 | 78.20 | .83 |

() = Not in stock. Contact Maska for price and delivery.

CLASSICAL COGGED V-BELTS

“BX” SECTION

(2 1/32-INCH TOP WIDTH, 1 3/32-INCH THICK)

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| BX31 | 32.00 | .36 |
| BX32 | 32.00 | .37 |
| (BX33) | 32.00 | .39 |
| BX34 | 32.00 | .39 |
| BX35 | 32.00 | .40 |
| BX36 | 32.96 | .42 |
| BX37 | 34.28 | .43 |
| BX38 | 35.20 | .43 |
| BX39 | 35.20 | .45 |
| BX40 | 36.80 | .46 |
| BX41 | 37.60 | .47 |
| BX42 | 38.40 | .48 |
| BX43 | 39.20 | .49 |
| (BX44) | 40.00 | .50 |
| BX45 | 40.80 | .51 |
| BX46 | 41.60 | .52 |
| BX47 | 42.24 | .53 |
| BX48 | 42.88 | .54 |
| BX49 | 43.52 | .55 |
| BX50 | 44.16 | .56 |
| BX51 | 44.80 | .57 |
| BX52 | 45.28 | .58 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| BX53 | 45.60 | .59 |
| BX54 | 46.08 | .60 |
| BX55 | 46.40 | .61 |
| BX56 | 46.72 | .62 |
| BX57 | 47.04 | .63 |
| BX58 | 47.36 | .64 |
| BX59 | 47.68 | .66 |
| BX60 | 48.00 | .67 |
| BX61 | 48.64 | .68 |
| BX62 | 49.28 | .69 |
| BX63 | 49.92 | .70 |
| BX64 | 50.56 | .71 |
| BX65 | 51.20 | .72 |
| BX66 | 51.84 | .73 |
| BX67 | 52.32 | .74 |
| BX68 | 52.80 | .75 |
| (BX69) | 53.52 | .76 |
| BX70 | 54.24 | .77 |
| BX71 | 54.88 | .78 |
| BX73 | 57.60 | .80 |
| (BX74) | 57.60 | .81 |
| BX75 | 57.60 | .82 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| (BX76) | 58.40 | 0wφ |
| BX77 | 59.20 | .85 |
| BX78 | 60.00 | .86 |
| BX79 | 60.80 | .87 |
| BX80 | 61.60 | .88 |
| BX81 | 62.40 | .89 |
| BX82 | 64.00 | .90 |
| BX83 | 64.48 | .91 |
| BX84 | 65.60 | .92 |
| BX85 | 65.60 | .93 |
| BX90 | 68.80 | .98 |
| (BX91) | 69.90 | .99 |
| (BX92) | 71.00 | 1.00 |
| BX93 | 72.00 | 1.01 |
| BX95 | 73.60 | 1.03 |
| BX96 | 74.40 | 1.05 |
| BX97 | 75.20 | 1.06 |
| BX99 | 76.32 | 1.08 |
| BX100 | 76.80 | 1.09 |
| BX103 | 78.40 | 1.12 |
| BX105 | 80.00 | 1.14 |
| BX108 | 83.04 | 1.17 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| BX112 | 86.40 | 1.22 |
| (BX113) | 87.04 | 1.22 |
| (BX115) | 88.20 | 1.25 |
| BX116 | 88.80 | 1.26 |
| BX120 | 91.20 | 1.30 |
| BX124 | 94.40 | 1.30 |
| BX128 | 97.60 | 1.30 |
| BX133 | 102.40 | 1.34 |
| BX136 | 104.32 | 1.37 |
| BX144 | 110.40 | 1.45 |
| BX150 | 114.56 | 1.51 |
| BX158 | 120.00 | 1.59 |
| BX162 | 124.84 | 1.63 |
| BX173 | 131.20 | 1.74 |
| BX180 | 137.60 | 1.81 |
| BX195 | 148.80 | 1.96 |
| (BX210) | * | 2.10 |
| (BX225) | * | 2.25 |
| (BX240) | * | 2.36 |
| (BX270) | * | 2.66 |
| (BX300) | * | 2.95 |

“CX” SECTION

(7/8-INCH TOP WIDTH, 1 7/32-INCH THICK)

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| CX51 | 73.60 | 1.07 |
| CX60 | 86.40 | 1.24 |
| (CX67) | 96.20 | 1.37 |
| CX68 | 97.60 | 1.39 |
| (CX72) | 103.10 | 1.47 |
| CX75 | 107.20 | 1.53 |
| (CX76) | 108.80 | 1.55 |
| (CX78) | 112.00 | 1.59 |
| (CX80) | 115.20 | 1.62 |
| CX81 | 116.80 | 1.64 |
| (CX82) | 117.60 | 1.66 |
| (CX83) | 118.40 | 1.68 |
| CX85 | 120.00 | 1.72 |


| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| (CX88) | 125.76 | 1.77 |
| CX90 | 129.60 | 1.81 |
| (CX92) | 132.26 | 1.85 |
| (CX94) | 134.94 | 1.89 |
| (CX95) | 136.26 | 1.91 |
| CX96 | 137.60 | 1.93 |
| (CX98) | 140.44 | 1.97 |
| (CX100) | 143.28 | 2.01 |
| (CX103) | 147.54 | 2.06 |
| CX105 | 150.40 | 2.10 |
| (CX107) | 153.12 | 2.14 |
| CX109 | 155.84 | 2.18 |
| (CX110) | 157.20 | 2.20 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| CX112 | 160.00 | 2.24 |
| CX115 | 164.16 | 2.29 |
| CX120 | 171.20 | 2.39 |
| (CX123) | 176.64 | 2.40 |
| CX128 | 182.40 | 2.42 |
| CX133 | 188.80 | 2.47 |
| CX136 | 192.64 | 2.49 |
| CX144 | 204.80 | 2.63 |
| CX150 | 212.16 | 2.75 |
| CX158 | 224.00 | 2.90 |
| CX162 | 228.80 | 2.95 |
| CX173 | 244.80 | 3.15 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| (CX180) | 256.00 | 3.27 |
| (CX187) | 266.64 | 3.39 |
| (CX190) | 271.20 | 3.46 |
| CX195 | 276.80 | 3.55 |
| (CX210) | * | 3.77 |
| (CX225) | * | 4.04 |
| (CX240) | * | 4.30 |
| (CX255) | * | 4.58 |
| (CX270) | * | 4.85 |
| (CX300) | * | 5.39 |
| (CX330) | * | 5.93 |
| (CX360) | * | 6.47 |

() = Not in stock. Contact Maska for price and delivery.

NARROW V-BELTS



DID YOU KNOW THAT...

- OIL AND HEAT-RESISTANT. STATIC DISSIPATING. A more narrow, deeper wedge shape with more efficient load carrying characteristics and higher power capability that results in smaller, more compact drives.
- These belts conform to RMA Engineering Standard IP-22. Stock Maska narrow V-belts are listed below. In-between lengths and lengths over 600 inches are available on special order.

“3V” SECTION

(3/8-INCH TOP WIDTH, 5/16-INCH THICK)

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 3V250 | 15.60 | .10 |
| 3V265 | 16.00 | .10 |
| 3V280 | 16.40 | .10 |
| 3V300 | 16.80 | .10 |
| 3V315 | 17.60 | .10 |
| 3V335 | 18.00 | .20 |
| 3V355 | 18.80 | .20 |
| 3V375 | 19.20 | .20 |
| 3V400 | 20.40 | .20 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 3V425 | 21.20 | .20 |
| 3V450 | 22.00 | .20 |
| 3V475 | 22.80 | .20 |
| 3V500 | 23.20 | .20 |
| 3V530 | 24.00 | .20 |
| 3V560 | 24.80 | .20 |
| 3V600 | 26.00 | .20 |
| 3V630 | 26.80 | .30 |
| (3V650) | 27.40 | .30 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 3V670 | 28.00 | .30 |
| 3V710 | 29.60 | .30 |
| (3V730) | 30.40 | .30 |
| 3V750 | 31.20 | .30 |
| 3V800 | 33.20 | .30 |
| 3V830 | 35.60 | .35 |
| 3V850 | 35.60 | .40 |
| 3V900 | 38.40 | .40 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 3V950 | 40.40 | .40 |
| 3V1000 | 42.80 | .40 |
| 3V1060 | 45.20 | .40 |
| 3V1120 | 49.20 | .50 |
| 3V1180 | 52.40 | .50 |
| 3V1250 | 56.00 | .60 |
| 3V1320 | 59.20 | .60 |
| 3V1400 | 62.80 | .70 |

“5V” SECTION

(5/8-INCH TOP WIDTH, 1 7/32-INCH THICK)

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 5V500 | 49.20 | .60 |
| 5V530 | 51.20 | .70 |
| 5V560 | 53.60 | .70 |
| 5V600 | 58.00 | .70 |
| (5V630) | 60.80 | .70 |
| 5V670 | 64.80 | .80 |
| 5V710 | 68.80 | .80 |
| 5V750 | 72.80 | .80 |
| 5V800 | 77.60 | .90 |
| 5V850 | 83.60 | .90 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 5V900 | 86.80 | .90 |
| 5V950 | 93.20 | .90 |
| (5V975) | 95.80 | 1.00 |
| 5V1000 | 98.40 | 1.10 |
| (5V1020) | 100.40 | 1.10 |
| 5V1060 | 104.40 | 1.10 |
| 5V1120 | 110.40 | 1.20 |
| 5V1180 | 116.40 | 1.30 |
| 5V1250 | 123.60 | 1.30 |
| 5V1320 | 130.40 | 1.40 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 5V1400 | 137.60 | 1.50 |
| 5V1500 | 148.00 | 1.60 |
| 5V1600 | 158.00 | 1.70 |
| (5V1630) | 161.20 | 1.80 |
| 5V1700 | 168.00 | 1.80 |
| (5V1710) | 169.04 | 1.84 |
| 5V1800 | 178.40 | 2.20 |
| 5V1900 | 188.80 | 2.20 |
| 5V2000 | 199.20 | 2.20 |
| 5V2120 | 211.60 | 2.40 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| (5V2150) | 214.70 | 2.48 |
| 5V2240 | 224.00 | 2.70 |
| 5V2360 | 235.20 | 2.80 |
| 5V2500 | 249.20 | 3.00 |
| (5V2650) | 264.80 | 3.10 |
| 5V2800 | 279.20 | 3.30 |
| 5V3000 | 298.80 | 3.50 |
| (5V3150) | 313.60 | 3.80 |
| (5V3350) | 333.60 | 3.90 |
| (5V3550) | 353.60 | 4.00 |

() = Not in stock. Contact Maska for price and delivery.

BELTS

“8V” SECTION

(1-INCH TOP WIDTH, 7/8-INCH THICK)

| Belt No. | List Price \$ | Approx. Weight (lbs) | Belt No. | List Price \$ | Approx. Weight (lbs) | Belt No. | List Price \$ | Approx. Weight (lbs) | Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|----------|---------------|----------------------|----------|---------------|----------------------|----------|---------------|----------------------|
| (8V1000) | 188.00 | 3.50 | 8V1700 | 324.00 | 5.90 | 8V2650 | 503.60 | 9.30 | (8V4250) | 815.20 | 14.90 |
| (8V1060) | 199.20 | 3.70 | 8V1800 | 340.16 | 6.30 | 8V2800 | 533.20 | 9.80 | (8V4500) | 864.80 | 15.80 |
| (8V1120) | 210.80 | 3.90 | 8V1900 | 361.20 | 6.70 | 8V3000 | 571.20 | 10.50 | (8V4750) | 914.40 | 16.40 |
| 8V1180 | 222.40 | 4.20 | 8V2000 | 380.80 | 7.00 | 8V3150 | 600.40 | 11.10 | (8V5000) | 964.00 | 17.20 |
| 8V1250 | 235.60 | 4.40 | 8V2120 | 404.40 | 7.50 | (8V3300) | 629.50 | 11.63 | (8V5600) | 1083.20 | 19.00 |
| 8V1320 | 248.80 | 4.70 | 8V2240 | 426.40 | 7.90 | 8V3350 | 639.20 | 11.80 | | | |
| 8V1400 | 264.00 | 4.90 | (8V2300) | 437.40 | 8.10 | 8V3550 | 677.20 | 12.50 | | | |
| 8V1500 | 283.20 | 5.20 | 8V2360 | 448.40 | 8.30 | (8V3600) | 686.74 | 12.90 | | | |
| 8V1600 | 302.00 | 5.60 | 8V2500 | 474.80 | 8.80 | (8V3750) | 716.00 | 13.30 | | | |
| (8V1650) | 313.00 | 5.75 | (8V2550) | 484.40 | 8.97 | (8V4000) | 765.60 | 14.00 | | | |

() = Not in stock. Contact Maska for price and delivery.

LINK V-BELTS



Accu-Link
3L, A, B, C, BB, CC

Solve a V-Belt Drive breakdown quickly

DID YOU KNOW THAT...

- The ideal temporary replacement, or permanent substitute, for conventional rubber V-Belts (not cogged)
- Designed to fit any drive application and diverse operating environments
- Quick, easy assembly to keep equipment up and running at the same HP ratings

LINK V-BELTS

| Part No. | List Price* \$ |
|----------|----------------|
| 3L-LINK | 726.00 |
| A-LINK | 740.00 |
| B-LINK | 862.00 |
| C-LINK | 1302.00 |

* List Price per standard length of 25 feet

NARROW COGGED V-BELTS



DID YOU KNOW THAT...

- A raw edge, cogged construction further increases the effective power transmission of narrow V-belts

“3VX” SECTION

(3/8-INCH TOP WIDTH, 5/16-INCH THICK)

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 3VX250 | 15.60 | .10 |
| 3VX265 | 16.00 | .10 |
| 3VX280 | 16.40 | .10 |
| (3VX290) | 16.60 | .10 |
| 3VX300 | 16.80 | .10 |
| 3VX315 | 17.60 | .10 |
| 3VX335 | 18.00 | .20 |
| 3VX355 | 18.80 | .20 |
| 3VX375 | 19.20 | .20 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 3VX390 | 20.00 | .20 |
| 3VX400 | 20.40 | .20 |
| 3VX425 | 21.20 | .20 |
| 3VX450 | 22.00 | .20 |
| 3VX475 | 22.80 | .20 |
| 3VX500 | 23.20 | .20 |
| 3VX520 | 23.70 | .20 |
| 3VX530 | 24.00 | .20 |
| 3VX560 | 24.80 | .20 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 3VX600 | 26.00 | .30 |
| 3VX630 | 26.80 | .30 |
| (3VX650) | 27.40 | .30 |
| 3VX670 | 28.00 | .30 |
| 3VX710 | 29.60 | .30 |
| 3VX750 | 31.20 | .30 |
| 3VX800 | 33.20 | .40 |
| 3VX850 | 35.60 | .40 |
| 3VX900 | 38.40 | .40 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 3VX950 | 40.40 | .40 |
| 3VX1000 | 42.80 | .40 |
| 3VX1060 | 45.20 | .50 |
| 3VX1120 | 49.20 | .50 |
| 3VX1180 | 52.40 | .60 |
| 3VX1250 | 56.00 | .60 |
| 3VX1320 | 59.20 | .70 |
| 3VX1400 | 62.80 | .70 |

“5VX” SECTION

(5/8-INCH TOP WIDTH, 17/32-INCH THICK)

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| (5VX470) | 49.20 | .60 |
| 5VX500 | 49.20 | .60 |
| 5VX530 | 51.20 | .70 |
| 5VX560 | 53.60 | .70 |
| (5VX570) | 53.10 | .70 |
| 5VX600 | 58.00 | .70 |
| 5VX630 | 60.80 | .70 |
| 5VX650 | 62.80 | .80 |
| 5VX660 | 63.80 | .80 |
| 5VX670 | 64.80 | .80 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 5VX680 | 65.80 | .80 |
| 5VX690 | 66.80 | .80 |
| 5VX710 | 68.80 | .80 |
| 5VX730 | 70.80 | .80 |
| 5VX750 | 72.80 | .80 |
| (5VX780) | 75.70 | .90 |
| 5VX800 | 77.60 | .90 |
| 5VX850 | 83.60 | .90 |
| 5VX900 | 86.80 | 1.00 |
| 5VX950 | 93.20 | 1.10 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|-----------|---------------|----------------------|
| (5VX960) | 94.20 | 1.10 |
| 5VX1000 | 98.40 | 1.20 |
| (5VX1030) | 101.40 | 1.20 |
| 5VX1060 | 104.40 | 1.20 |
| (5VX1080) | 110.40 | 1.20 |
| 5VX1120 | 110.40 | 1.30 |
| (5VX1150) | 113.40 | 1.40 |
| 5VX1180 | 116.40 | 1.40 |
| 5VX1230 | 121.50 | 1.50 |

| Belt No. | List Price \$ | Approx. Weight (lbs) |
|----------|---------------|----------------------|
| 5VX1250 | 123.60 | 1.50 |
| 5VX1320 | 130.40 | 1.60 |
| 5VX1400 | 137.60 | 1.70 |
| 5VX1500 | 148.00 | 1.80 |
| 5VX1600 | 158.00 | 1.90 |
| 5VX1700 | 168.00 | 2.00 |
| 5VX1800 | 178.40 | 2.10 |
| 5VX1900 | 188.80 | 2.30 |
| 5VX2000 | 199.20 | 2.40 |

() = Not in stock. Contact Maska for price and delivery.

SYNCHRONOUS BELTS: TRAPEZOIDAL



DID YOU KNOW THAT...

- Trapezoidal belts have fiberglass tension members and neoprene body with nylon covered teeth, all bonded together for maximum strength
- Stock trapezoidal synchronous belts are listed on the following pages. For non-stock widths, specified widths from our large supply of belt sleeves are available on special order.
- Mini-pitch MXL (.080-inch pitch) trapezoidal synchronous belts are also available.

HOW TO ORDER

EXAMPLE: **TB270XL037**

TB

270

XL

037

TB: TIMING BELT

270: BELT PITCH LENGTH (27.0)

XL: TOOTH PITCH (1/5")

037: BELT WIDTH

SYNCHRONOUS BELTS - TRAPEZOIDAL

XL - EXTRA LIGHT 1/5" PITCH

| Belt Length & Pitch Code | No. of Teeth | Width 037 (3/8") | |
|--------------------------|--------------|------------------|-----------------------|
| | | List Price \$ | Approx. Weight (lbs.) |
| 60XL | 30 | 7.68 | 0.009 |
| 70XL | 35 | 8.00 | 0.011 |
| 80XL | 40 | 8.24 | 0.012 |
| 90XL | 45 | 8.48 | 0.014 |
| 100XL | 50 | 8.72 | 0.015 |
| 110XL | 55 | 9.04 | 0.017 |
| 120XL | 60 | 9.20 | 0.019 |
| 130XL | 65 | 9.52 | 0.02 |
| 140XL | 70 | 9.76 | 0.022 |
| 142XL | 71 | 9.80 | 0.023 |
| 150XL | 75 | 10.00 | 0.023 |
| 160XL | 80 | 10.32 | 0.025 |
| 170XL | 85 | 10.48 | 0.026 |
| 178XL | 89 | 10.74 | 0.028 |
| 180XL | 90 | 10.80 | 0.028 |
| 190XL | 95 | 11.04 | 0.029 |
| 194XL | 97 | 11.28 | 0.03 |
| 200XL | 100 | 11.28 | 0.031 |
| 210XL | 105 | 11.52 | 0.032 |
| 220XL | 110 | 11.84 | 0.034 |
| 230XL | 115 | 12.00 | 0.035 |
| 240XL | 120 | 12.52 | 0.037 |
| 250XL | 125 | 12.56 | 0.039 |
| 260XL | 130 | 12.80 | 0.04 |
| 270XL | 135 | 13.16 | 0.041 |
| 344XL | 172 | 14.96 | 0.051 |

L- LIGHT 3/8" PITCH

| Belt Length & Pitch Code | No. of Teeth | Width | | | | | |
|--------------------------|--------------|---------------|-----------------------|---------------|-----------------------|---------------|-----------------------|
| | | 050 (1/2") | | 075 (3/4") | | 100 (1") | |
| | | List Price \$ | Approx. Weight (lbs.) | List Price \$ | Approx. Weight (lbs.) | List Price \$ | Approx. Weight (lbs.) |
| 124L | 33 | 15.36 | .02 | 21.84 | .05 | 28.00 | .07 |
| 135L | 36 | POR | .02 | POR | .05 | POR | .07 |
| 150L | 40 | 16.96 | .03 | 24.24 | .05 | 31.20 | .07 |
| 165L | 44 | 17.44 | .03 | 25.04 | .06 | 32.28 | .08 |
| 173L | 46 | 18.00 | .03 | 25.84 | .06 | 33.40 | .08 |
| 187L | 50 | 18.48 | .04 | 26.64 | .07 | 34.48 | .09 |
| 202L | 54 | 19.60 | .04 | 28.24 | .08 | 36.68 | .09 |
| 210L | 56 | 20.08 | .04 | 29.04 | .08 | 37.68 | .09 |
| 225L | 60 | 20.64 | .05 | 29.84 | .08 | 38.76 | .10 |
| 236L | 63 | 21.42 | .06 | 31.04 | .08 | 40.42 | .10 |
| 240L | 64 | 21.68 | .06 | 31.44 | .08 | 40.96 | .12 |
| 244L | 65 | 21.80 | .06 | 31.64 | .08 | 41.24 | .12 |
| 255L | 68 | 22.16 | .06 | 32.24 | .09 | 42.04 | .12 |
| 270L | 72 | 23.20 | .06 | 33.84 | .10 | 44.16 | .13 |
| 285L | 76 | 23.76 | .07 | 34.72 | .10 | 45.24 | .14 |
| 300L | 80 | 24.80 | .07 | 36.24 | .11 | 47.44 | .14 |
| 320L | 85 | 25.80 | .07 | 37.80 | .12 | 49.40 | .15 |
| 322L | 86 | 25.84 | .07 | 37.92 | .12 | 49.60 | .15 |
| 345L | 92 | 26.88 | .08 | 39.52 | .13 | 51.72 | .16 |
| 367L | 98 | 27.84 | .08 | 41.12 | .13 | 53.88 | .17 |
| 390L | 104 | 29.44 | .09 | 43.52 | .14 | 57.08 | .18 |
| 405L | 108 | POR | .09 | POR | .14 | POR | .19 |
| 412L | 110 | POR | .10 | POR | .15 | POR | .20 |
| 420L | 112 | 30.96 | .10 | 45.92 | .15 | 60.36 | .20 |
| 424L | 113 | 31.16 | .11 | 46.24 | .16 | 60.76 | .22 |
| 450L | 120 | 32.56 | .11 | 48.40 | .16 | 63.56 | .22 |
| 454L | 121 | 32.76 | .11 | 48.70 | .16 | 63.98 | .22 |
| 480L | 128 | 34.16 | .12 | 50.80 | .17 | 66.84 | .23 |
| 510L | 136 | 35.20 | .12 | 52.40 | .18 | 69.04 | .24 |
| 525L | 140 | POR | .12 | POR | .19 | POR | .25 |
| 540L | 144 | 37.28 | .13 | 55.60 | .20 | 73.32 | .26 |
| 600L | 160 | 40.40 | .13 | 60.48 | .21 | 79.80 | .28 |
| 660L | 178 | 43.52 | .14 | 66.52 | .23 | 87.78 | .29 |
| 728L | 194 | POR | .15 | POR | .25 | POR | .30 |
| 817L | 218 | 53.60 | .18 | 80.40 | .29 | 107.20 | .36 |
| 915L | 244 | POR | .20 | POR | .32 | POR | .40 |

P.O.R. = Price on request

BELTS

SYNCHRONOUS BELTS - TRAPEZOIDAL

H - HEAVY 1/2" PITCH

| Belt Length & Pitch Code | No. of Teeth | Width | | | | | | | | | |
|--------------------------|--------------|---------------|-----------------------|---------------|-----------------------|---------------|-----------------------|---------------|-----------------------|---------------|-----------------------|
| | | 075(3/4") | | 100(1") | | 150(1-1/2") | | 200(2") | | 300(3") | |
| | | List Price \$ | Approx. Weight (lbs.) | List Price \$ | Approx. Weight (lbs.) | List Price \$ | Approx. Weight (lbs.) | List Price \$ | Approx. Weight (lbs.) | List Price \$ | Approx. Weight (lbs.) |
| 240H | 48 | 32.56 | .13 | 42.00 | .20 | 60.72 | .28 | 79.52 | .41 | 117.04 | .56 |
| 255H | 51 | 33.80 | .14 | 43.64 | .21 | 63.24 | .30 | 82.80 | .42 | 122.00 | .60 |
| 270H | 54 | 35.04 | .15 | 45.28 | .21 | 65.76 | .31 | 86.08 | .43 | 126.96 | .63 |
| 300H | 60 | 37.52 | .17 | 48.64 | .23 | 70.72 | .35 | 92.72 | .47 | 136.88 | .70 |
| 330H | 66 | 40.08 | .19 | 51.92 | .25 | 75.68 | .38 | 99.36 | .51 | 146.80 | .77 |
| 335H | 67 | 40.50 | .19 | 52.48 | .25 | 76.50 | .38 | 100.46 | .52 | 148.44 | .78 |
| 350H | 70 | 41.76 | .20 | 54.16 | .27 | 78.96 | .40 | 103.76 | .55 | 153.36 | .82 |
| 360H | 72 | 42.56 | .20 | 55.28 | .28 | 80.64 | .42 | 106.00 | .56 | 156.72 | .84 |
| 370H | 74 | 43.42 | .21 | 56.38 | .29 | 82.30 | .43 | 108.20 | .57 | 159.18 | .87 |
| 375H | 75 | 43.84 | .21 | 56.92 | .29 | 83.12 | .43 | 109.28 | .58 | 161.64 | .88 |
| 390H | 78 | 45.04 | .22 | 58.56 | .30 | 85.60 | .45 | 112.56 | .61 | 166.64 | .91 |
| 400H | 80 | 45.92 | .23 | 59.68 | .31 | 87.28 | .47 | 114.80 | .63 | 169.92 | .93 |
| 420H | 84 | 47.52 | .24 | 61.92 | .32 | 90.56 | .49 | 119.20 | .65 | 176.56 | .98 |
| 450H | 90 | 50.08 | .25 | 65.20 | .35 | 95.52 | .52 | 125.84 | .70 | 186.40 | 1.05 |
| 480H | 96 | 52.56 | .27 | 68.56 | .37 | 100.48 | .56 | 132.40 | .72 | 196.32 | 1.12 |
| 490H | 98 | 53.36 | .27 | 69.68 | .37 | 102.16 | .56 | 134.64 | .72 | 199.68 | 1.12 |
| 510H | 102 | 54.24 | .28 | 70.80 | .39 | 103.84 | .59 | 136.88 | .79 | 202.96 | 1.18 |
| 540H | 108 | 57.52 | .30 | 75.20 | .41 | 110.48 | .63 | 145.68 | .84 | 216.16 | 1.25 |
| 560H | 112 | POR | .32 | POR | .44 | POR | .66 | POR | .89 | POR | 1.32 |
| 570H | 114 | 59.20 | .32 | 77.44 | .44 | 113.76 | .66 | 150.08 | .89 | 222.80 | 1.32 |
| 585H | 117 | POR | .34 | POR | .46 | POR | .70 | POR | .93 | POR | 1.40 |
| 600H | 120 | 62.56 | .34 | 81.84 | .46 | 120.40 | .70 | 158.88 | .93 | 236.00 | 1.40 |
| 630H | 126 | 64.24 | .35 | 84.08 | .48 | 123.68 | .73 | 163.28 | .98 | 242.64 | 1.47 |
| 660H | 132 | 67.52 | .37 | 88.48 | .51 | 130.32 | .77 | 172.12 | 1.02 | 255.84 | 1.54 |
| 700H | 140 | 70.88 | .39 | 92.88 | .54 | 136.96 | .81 | 180.96 | 1.09 | 269.04 | 1.64 |
| 725H | 145 | 72.56 | .41 | 95.12 | .56 | 140.24 | .84 | 185.36 | 1.12 | 275.68 | 1.75 |
| 730H | 146 | 72.90 | .41 | 95.56 | .57 | 140.92 | .85 | 186.24 | 1.13 | 277.00 | 1.77 |
| 750H | 150 | 74.24 | .42 | 97.36 | .58 | 143.60 | .87 | 189.76 | 1.16 | 282.24 | 1.87 |
| 800H | 160 | 79.20 | .45 | 104.00 | .61 | 150.24 | .93 | 203.04 | 1.24 | 302.08 | 1.93 |
| 850H | 170 | 82.56 | .48 | 108.40 | .65 | 160.16 | .99 | 211.84 | 1.32 | 315.28 | 1.99 |
| 900H | 180 | 87.52 | .51 | 115.04 | .69 | 170.08 | 1.04 | 225.04 | 1.40 | 335.12 | 2.10 |
| 1000H | 200 | 95.92 | .56 | 126.08 | .77 | 186.64 | 1.16 | 247.12 | 1.55 | 368.16 | 2.32 |
| 1100H | 220 | 104.24 | .59 | 137.12 | .84 | 203.20 | 1.27 | 269.20 | 1.71 | 401.20 | 2.57 |
| 1120H | 224 | POR | .60 | POR | .86 | POR | 1.30 | POR | 1.74 | POR | 2.62 |
| 1140H | 228 | POR | .62 | POR | .87 | POR | 1.32 | POR | 1.77 | POR | 2.66 |
| 1150H | 230 | POR | .63 | POR | .88 | POR | 1.33 | POR | 1.79 | POR | 2.69 |
| 1250H | 250 | 116.80 | .70 | 153.76 | .96 | 228.08 | 1.46 | 302.24 | 1.94 | 450.80 | 2.92 |
| 1400H | 280 | 129.28 | .79 | 170.32 | 1.07 | 252.88 | 1.62 | 335.36 | 2.17 | 500.32 | 3.24 |
| 1700H | 340 | 154.32 | .95 | 203.52 | 1.30 | 302.56 | 1.95 | 401.52 | 2.63 | 599.44 | 3.95 |
| 2010H | 402 | POR | 1.12 | POR | 1.54 | POR | 2.31 | POR | 3.11 | POR | 4.67 |
| 2360H | 472 | POR | 1.32 | POR | 1.80 | POR | 2.71 | POR | 3.65 | POR | 5.48 |

P.O.R. = Price on request

SYNCHRONOUS BELTS: CURVILINEAR



The standard trapezoidal tooth timing belt design performs poorly in high torque applications and high power drives at lower speeds. To overcome this disadvantage the curvilinear belt was developed using a more efficient tooth profile.

DID YOU KNOW THAT...

- Our stock 8mm and 14mm curvilinear synchronous belts are listed on the following pages. Non-standard lengths in these pitches are also available, as are belts with 3mm and 5mm pitch.
- Higher torque transmission at low speeds
- High power transmission over a wide speed range
- Improved meshing to reduce tooth jump
- Higher resistance to tooth shear
- Less tooth wear due to friction

HOW TO ORDER

EXAMPLE: **HTB13048M020**


HTB **1304** **8M** **020**

HTB: HIGH TORQUE BELT

1304: BELT PITCH LENGTH (1304mm)

8M: TOOTH PITCH (8mm)

020: BELT WIDTH (20mm)



A. A high-modulus fiberglass cord is wound across the entire width of the belt pitch line insuring minimal stretch and resistance to repeated flexing.

B. The body is a synthetic neoprene compounded to resist flex fatigue, heat, ozone, mineral lubricating oils and aging.

C. A tough nylon fabric is bonded to the tooth surface for wear resistance.

180

SYNCHRONOUS BELTS - CURVILINEAR

8MM

| Belt Length & Pitch Code | No. of Teeth | Width(mm) | | | | | | | |
|--------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | -20 | | -30 | | -50 | | -85 | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| 376-8M | 47 | 25.56 | .10 | 36.00 | .16 | 57.40 | .27 | 95.40 | .45 |
| 424-8M | 53 | 25.56 | .11 | 36.00 | .18 | 57.40 | .30 | 95.40 | .50 |
| 472-8M | 59 | P.O.R. | .12 | P.O.R. | .20 | P.O.R. | .33 | P.O.R. | .55 |
| 480-8M | 60 | 25.56 | .13 | 36.00 | .20 | 57.40 | .34 | 95.40 | .57 |
| 536-8M | 67 | 26.40 | .14 | 37.60 | .23 | 60.20 | .38 | 100.40 | .63 |
| 560-8M | 70 | 27.60 | .16 | 39.40 | .23 | 63.00 | .39 | 104.80 | .66 |
| 600-8M | 75 | 29.00 | .17 | 41.60 | .25 | 66.60 | .42 | 111.00 | .71 |
| 624-8M | 78 | 29.30 | .18 | 41.90 | .26 | 67.36 | .43 | 112.36 | .74 |
| 632-8M | 79 | 29.40 | .18 | 42.00 | .27 | 67.60 | .44 | 112.80 | .75 |
| 640-8M | 80 | 29.80 | .18 | 42.60 | .27 | 68.40 | .45 | 114.20 | .76 |
| 656-8M | 82 | 30.24 | .18 | 43.24 | .28 | 69.52 | .46 | 116.08 | .78 |
| 720-8M | 90 | 32.00 | .20 | 45.80 | .30 | 74.00 | .50 | 123.60 | .85 |
| 776-8M | 97 | 34.10 | .21 | 49.02 | .32 | 79.18 | .54 | 132.42 | .93 |
| 784-8M | 98 | 34.40 | .21 | 49.48 | .32 | 79.92 | .55 | 133.68 | .94 |
| 800-8M | 100 | 35.00 | .22 | 50.40 | .33 | 81.40 | .56 | 136.20 | .96 |
| 840-8M | 105 | 36.10 | .24 | 52.00 | .35 | 84.20 | .58 | 140.90 | .99 |
| 880-8M | 110 | 37.20 | .25 | 53.60 | .37 | 87.00 | .61 | 145.60 | 1.05 |
| 912-8M | 114 | 38.08 | .26 | 54.88 | .38 | 89.24 | .63 | 149.36 | 1.09 |
| 920-8M | 115 | 38.30 | .26 | 55.20 | .38 | 89.80 | .64 | 150.30 | 1.10 |
| 960-8M | 120 | 39.40 | .27 | 56.80 | .40 | 92.60 | .67 | 155.00 | 1.14 |
| 1040-8M | 130 | 41.60 | .29 | 60.20 | .43 | 98.00 | .74 | 164.40 | 1.24 |
| 1120-8M | 140 | 43.80 | .31 | 63.40 | .47 | 103.60 | .78 | 173.80 | 1.33 |
| 1152-8M | 144 | 46.20 | .34 | 66.80 | .50 | 109.20 | .84 | 183.20 | 1.46 |
| 1200-8M | 150 | 46.20 | .34 | 66.80 | .50 | 109.20 | .84 | 183.20 | 1.42 |
| 1224-8M | 153 | 47.30 | .35 | 68.40 | .51 | 112.00 | .85 | 187.90 | 1.45 |
| 1280-8M | 160 | 48.40 | .36 | 70.00 | .53 | 114.80 | .89 | 192.60 | 1.51 |
| 1304-8M | 163 | 49.06 | .37 | 71.00 | .54 | 116.46 | .91 | 195.52 | 1.54 |
| 1328-8M | 166 | 49.72 | .37 | 71.98 | .55 | 118.10 | .93 | 198.24 | 1.57 |
| 1360-8M | 170 | 50.60 | .38 | 73.30 | .57 | 120.30 | .95 | 202.00 | 1.61 |
| 1424-8M | 178 | 52.36 | .40 | 75.94 | .59 | 124.70 | 1.00 | 209.52 | 1.69 |
| 1440-8M | 180 | 52.80 | .40 | 76.60 | .60 | 125.80 | 1.01 | 211.40 | 1.71 |
| 1600-8M | 200 | 57.40 | .45 | 83.20 | .67 | 137.00 | 1.11 | 230.40 | 1.90 |
| 1760-8M | 220 | 61.80 | .49 | 89.80 | .73 | 148.00 | 1.23 | 249.00 | 2.07 |
| 1800-8M | 225 | 63.20 | .50 | 91.80 | .75 | 151.80 | 1.25 | 255.40 | 2.12 |
| 2000-8M | 250 | 69.20 | .56 | 100.60 | .83 | 166.60 | 1.39 | 280.40 | 2.36 |
| 2104-8M | 263 | 72.20 | .60 | 112.80 | .88 | 174.00 | 1.50 | 292.60 | 2.45 |
| 2248-8M | 281 | 76.48 | .64 | 115.42 | .94 | 184.78 | 1.58 | 311.06 | 2.63 |
| 2400-8M | 300 | 81.00 | .68 | 118.20 | 1.00 | 196.20 | 1.66 | 330.60 | 2.82 |
| 2600-8M | 325 | 87.60 | .74 | 127.20 | 1.08 | 213.40 | 1.80 | 356.80 | 3.06 |
| 2800-8M | 350 | 93.00 | .80 | 135.60 | 1.16 | 225.80 | 1.92 | 380.92 | 3.29 |
| 4400-8M | 550 | 141.60 | 1.25 | 201.60 | 1.32 | 343.20 | 3.01 | 590.60 | 5.16 |

P.O.R. = Price on request

BELTS

14MM

| Belt Length & Pitch Code | No. of Teeth | Width(mm) | | | | | | | | | |
|--------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | -40 | | -55 | | -85 | | -115 | | -170 | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| 966-14M | 69 | 187.00 | .84 | 250.20 | 1.15 | 364.20 | 1.78 | 484.20 | 2.40 | 700.40 | 3.55 |
| 1190-14M | 85 | 209.60 | 1.02 | 276.40 | 1.42 | 404.20 | 2.20 | 539.20 | 2.98 | 780.40 | 4.39 |
| 1400-14M | 100 | 228.00 | 1.20 | 302.00 | 1.67 | 443.60 | 2.57 | 592.40 | 3.50 | 859.00 | 5.15 |
| 1610-14M | 115 | 246.80 | 1.40 | 329.00 | 1.92 | 484.00 | 2.95 | 647.20 | 4.02 | 939.20 | 5.95 |
| 1778-14M | 127 | 263.40 | 1.52 | 350.60 | 2.13 | 516.20 | 3.25 | 691.20 | 4.45 | 1003.20 | 6.55 |
| 1890-14M | 135 | 276.60 | 1.62 | 368.80 | 2.25 | 544.00 | 3.49 | 728.80 | 4.73 | 1058.20 | 6.95 |
| 2100-14M | 150 | 301.40 | 1.80 | 403.00 | 2.50 | 596.20 | 3.88 | 799.40 | 5.25 | 1161.60 | 7.75 |
| 2310-14M | 165 | 321.00 | 2.00 | 429.20 | 2.75 | 636.00 | 4.26 | 852.80 | 5.75 | 1239.80 | 8.50 |
| 2450-14M | 175 | 334.20 | 2.12 | 446.80 | 2.93 | 662.40 | 4.52 | 888.40 | 6.10 | 1292.00 | 9.00 |
| 2590-14M | 185 | 350.40 | 2.25 | 469.40 | 3.10 | 696.20 | 4.78 | 934.00 | 6.45 | 1358.80 | 9.55 |
| 2800-14M | 200 | 374.80 | 2.43 | 503.20 | 3.34 | 747.00 | 5.15 | 1002.40 | 7.00 | 1459.20 | 10.30 |
| 3150-14M | 225 | 411.40 | 2.73 | 553.60 | 3.77 | 824.20 | 5.80 | 1107.20 | 7.85 | 1614.40 | 11.60 |
| 3360-14M | 240 | 430.80 | 2.90 | 581.40 | 4.02 | 865.40 | 6.20 | 1163.40 | 8.35 | 1696.80 | 12.35 |
| 3500-14M | 250 | 444.20 | 3.00 | 599.60 | 4.19 | 893.00 | 6.45 | 1201.60 | 8.75 | 1751.40 | 12.90 |
| 3850-14M | 275 | 489.00 | 3.30 | 666.20 | 4.60 | 989.40 | 7.10 | 1331.60 | 9.62 | 1937.00 | 14.20 |
| 4326-14M | 309 | 543.20 | 3.70 | 734.40 | 5.17 | 1098.80 | 8.00 | 1480.00 | 10.80 | 2161.60 | 15.95 |
| 4578-14M | 327 | 574.00 | 3.92 | 778.80 | 5.48 | 1159.60 | 8.45 | 1566.00 | 11.40 | 2245.00 | 16.90 |